



ABOUTBLU/ANATOMIC
PROFESSIONAL
ACTIVE BLACK-YELLOW LOW
51516 03LA
S1PS FO SR SC ESD
EN ISO 20345:2022+A1:2024

UPPER	Suede-like microfiber, washable, elastic, breathable, resistant to tearing, traction and chemical agents; HI-TECH fabric resistant to abrasion and tears; TPU reinforcement on the toe cap
LINING	PLASMAFEEL Lining in 3D fabric that keeps the foot constantly cool and dry thanks to the instantaneous absorption of sweat and its immediate dispersion outside of the shoe. Breathable, antibacterial, resistant to wear and abrasion.
INSOLE	TECH SOFT Thermoformed. Runproof, multi-layered, antistatic latex-foam fabric, that is antibacterial, breathable and absorbent with anti-fungus activated carbons. Shock absorbing heel and plantar arch support.
SOLE	PU/PU DUAL DENSITY BASF PUR Elastopan® polyurethane foam insole, ensures the maximum comfort and the absorption of the impact on all surfaces. Polyurethane outsole, with an elevated grip, resistant to wear, oils and hydrocarbons. System of energy absorption on the heel. It leaves no mark on the surface. SATRA UK "Pedatron Test" that certifies abrasion resistance three times greater than standard
LAST	The anatomical shape of the injected sole, unlike removable insoles, is inalterable for the entire lifetime of the shoe. The Anatomic sole, following the natural morphology of the foot, provides a natural support to all its points, ensuring maximum comfort
TOE CAP	The POWER CAP is in multilayer fiberglass and rubber particulate. It stands out for its robustness and lightness, guaranteeing a shock absorption up to a max. 200 Joules. Being metal-free it is undetectable by a metal detector, and helps to maintain a constant body temperature. It provides maximum safety even at extreme temperatures above and below zero, providing a thermal insulation that is better than aluminum or steel toe-caps. It exceeds the EN-ISO12568 requirements.
MIDSOLE	Non-metallic textile anti-perforation insole, built with multiple layers of high-tenacity fibres. Antistatic, lightweight, flexible. Ensures perfect thermal insulation. Compliant with: EN ISO 22568-4:2021; CSA Standard Z195-14
ANTI-TORSION SUPPORT	COMPOSHANK Anti-torsion support in ABS. It is applied between the anti-perforation midsole and the midsole, corresponding to the arch of the foot. It improves stability on ladders, where foot support is not complete.

TECH SOFT		
FEATURES		
 SHOCK ABSORPTION IN THE HEEL	 OIL AND HYDROCARBONS RESISTANT SOLE	 TOE CAP
 NO MARKING SOLE	 ANTISTATIC FOOTWEAR	 BREATHABLE UPPER
 ANTI-PERFORATION MIDSOLE		
PLUS		
 METAL FREE	 PEDATRON TEST	
TECHNOLOGIES		
 PLASMAFEEL	 POWER CAP	
 COMPOSHANK	 ANATOMIC SOLE	

WEIGHT SIZE 42 560 gr

SIZES 35-49