



ABOUTBLU/REGULAR

ASEPTIC & FOOD

ITALIA

19267 00-A

**S2 FO SR
EN ISO 20345:2022**

UPPER washable, elastic, breathable and water-repellent, microfiber. Resistant to laceration, traction and chemical agents

LINING Antibacterial

INSOLE **AIR BIENCE** Thermoformed. Runresistant, multi-layered, antistatic latex-foam fabric, that is antibacterial, breathable and absorbent with anti-fungus activated carbons. Extractable. The sanitized treatment ensures the anti-bacterial aspect and the control of unpleasant odors.

SOLE **PU/PU DUAL DENSITY BASF PUR Elastopan®** polyurethane foam insole, ensures the maximum comfort and the absorption of the impact on all surfaces. Polyurethane outsole, with an elevated grip, resistant to wear, oils and hydrocarbons. System of energy absorption on the heel. It leaves no mark on the surface. **SATRA UK "Pedatron Test"** that certifies abrasion resistance three times greater than standard

TOE CAP The **POWER CAP** is in multilayer fiberglass and rubber particulate. It stands out for its robustness and lightness, guaranteeing a shock absorption up to a max. 200 Joules. Being metal-free is undetectable by a meta detector, and helps to maintain a constant body temperature. It provides maximum safety even at extreme temperatures above and below zero, providing a thermal insulation that is better than aluminum or steel toe-caps. It is compliant with CSA Canada regulations and exceeds the EN-ISO12568 requirements.

ANTI-TORSION SUPPORT **COMPOSHANK** Anti-torsion support in ABS. It is applied between the antiperforation midsole and the midsole, corresponding to the arch of the foot. It improves stability on ladders, where foot support is not complete.

WEIGHT SIZE 42 450 gr

SIZE 35-48





AIR BIENCE



FEATURES

 SHOCK ABSORPTION IN THE HEEL	 OIL AND HYDROCARBONS RESISTANT SOLE	 TOE CAP
 NO MARKING SOLE	 ANTISTATIC FOOTWEAR	 BREATHABLE UPPER
 WATER-REPELLENT UPPER		

PLUS

TECHNOLOGIES

